

Marketing Update > FEDERAL SIGNAL

Update: 492 | 8/23/13

Introducing the Latitude™ Series SignalMaster™ Models.



Federal Signal introduces the Latitude[™] Series SignalMaster[™] directional warning light models. The Latitude SignalMaster features Federal Signal's Solaris® LED reflector technology for superior light intensity.

The Latitude SignalMaster models are available in 6- and 8-head versions. These models come equipped with the Federal Signal economy SignalMaster control that allows users to easily install and operate built-in warning signals of left, right and center-out.

Features

- Solaris® LED reflectors for the highest optical efficiency
- ROC (Reliable Onboard Circuitry™) reduces potential failure points found in a typical lighting system
- Available in 6-head or 8-head models
- Three LEDs per position
- Both interior and exterior mounting brackets are available; compatible with Federal Signal's SignalMaster brackets
- Innovative co-extrusion, polycarbonate housing provides moisture resistance
- Each model includes left, right and center-out warning signals
- SAE J845 Class 1, CAC Title13 Class B
- Five-year LED warranty

1 of 3







| Model | Description | 2013 List Price US\$ | | |
|------------------------|---|----------------------|--|--|
| 6-Head Flashing models | | | | |
| SL6S-A | (6) Amber LED reflectors, A-A-A-A-A, SignalMaster Economy Controller, 24.2" | \$490.00 | | |
| 8-Head Flashing models | | | | |
| SL8S-A | (8) Amber LED reflectors, A-A-A-A-A-A-A, SignalMaster Economy Controller, 31.8" | \$550.00 | | |
| Mounting Brackets | | | | |
| 320310 | Flush (vertical surface) mount | \$35.50 | | |
| 320320 | Lightbar or rear deck mount | \$40.25 | | |
| 320330 | System mount | \$46.00 | | |
| 320340 | Universal mount | \$95.00 | | |
| 320350 | Foot adapter mount | \$29.25 | | |

| | 6-Head | 8-Head | | |
|------------------|----------------------------------|-------------------|--|--|
| Specifications | | | | |
| Voltage | 12.8 VDC | | | |
| Amp Draw (total) | 3 Amps | 4 Amps | | |
| Operating temp | -22°F to +149°F (-30°C to +65°C) | | | |
| Dimensions | | | | |
| Height | 1.13 in (2.86 cm) | 1.13 in (2.86 cm) | | |
| Length | 24.2 in (61.5 cm) | 31.8 in (80.5 cm) | | |
| Depth | 2.63 in (6.67 cm) | 2.63 in (6.67 cm) | | |
| Ship Weight | | | | |
| | 3.8 lbs (1.7 kg) | 4.0 lbs (1.8 kg) | | |







The Latitude SignalMaster is compatible with Federal Signal's SignalMaster brackets.









320340



For more information on the Latitude SignalMaster, contact your local Federal Signal representative or contact Amber Customer Care at 800-824-0254.

3 of 3

