

CERTIFICATE OF COMPLIANCE

Certificate Number 20130725-E207119
Report Reference E207119-19940808
Issue Date 2013-JULY-25

Issued to: FEDERAL SIGNAL CORP SIGNAL DIV
2645 FEDERAL SIGNAL DR
UNIVERSITY PARK IL 60484

**This is to certify that
representative samples of**

VISUAL-SIGNAL APPLIANCES FOR USE IN
HAZARDOUS LOCATIONS

See Addendum Page

Have been investigated by UL in accordance with the
Standard(s) indicated on this Certificate.


Standard(s) for Safety:

ISA-12.12.01, Nonincendive Electrical Equipment for Use in
Class I and II, Division 2 and Class III, Divisions 1 and 2
Hazardous (Classified) Locations
UL 1638, Visual Signaling Appliances - Private Mode
Emergency and General Utility Signaling
UL 50, Enclosures for Electrical Equipment
CSA-C22.2 No. 213, Non-Incendive Electrical Equipment
for Use in Class I, Division 2 Hazardous Locations

Additional Information:

See the UL Online Certifications Directory at
www.ul.com/database for additional information

Only those products bearing the UL Listing Mark for the US and Canada should be considered as being covered by UL's Listing and Follow-Up Service meeting the appropriate requirements for US and Canada.

The UL Listing Mark for the US and Canada generally includes: the UL in a circle symbol with "C" and "US" identifiers:  the word "LISTED"; a control number (may be alphanumeric) assigned by UL; and the product category name (product identifier) as indicated in the appropriate UL Directory.

Look for the UL Listing Mark on the product.



William R. Carney, Director, North American Certification Programs
UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at www.ul.com/contactus



CERTIFICATE OF COMPLIANCE

Certificate Number 20130725-E207119
Report Reference E207119-19940808
Issue Date 2013-JULY-25

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Model 225X rotating beacon for use in hazardous locations,
Class I, Div. 2, Groups A, B, C and D; Class II, Div. 2,
Groups F and G; and Class III; for indoor or outdoor use;
Type 4X, IP66 enclosures



William R. Carney, Director, North American Certification Programs
UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at www.ul.com/contactus

