

# CERTIFICATE OF COMPLIANCE

**Certificate Number** 20171020-E492950  
**Report Reference** E492950-20170510  
**Issue Date** 2017-OCTOBER-20

**Issued to:** FEDERAL SIGNAL CORP SIGNAL DIV  
2645 FEDERAL SIGNAL DR  
UNIVERSITY PARK IL 60484-3167

**This is to certify that  
representative samples of**

AUDIBLE-SIGNAL APPLIANCES FOR USE IN ZONE  
CLASSIFIED HAZARDOUS LOCATIONS

See addendum page

Have been investigated by UL in accordance with the  
Standard(s) indicated on this Certificate.

**Standard(s) for Safety:**

Standard No. UL 60079-0, Explosive atmospheres – Part 0:  
Equipment – General requirements.  
Standard No. UL 60079-1, Explosive Atmospheres – Part 1:  
Equipment Protection by Flameproof Enclosures “d”.  
Standard No. UL 60079-31, Explosive Atmospheres – Part 31:  
Equipment Dust Ignition Protection by Enclosure “t”.  
Standard No. CAN/CSA-C22.2 No. 60079-0:15, Explosive  
atmospheres — Part 0: Equipment — General requirements.  
Standard No. CAN/CSA-C22.2 No. 60079-31:15, Explosive  
atmospheres — Part 31: Equipment dust ignition protection by  
enclosure “t”

**Additional Information:**

See the UL Online Certifications Directory at  
[www.ul.com/database](http://www.ul.com/database) for additional information

Only those products bearing the UL Certification Mark should be considered as being covered by UL's  
Certification and Follow-Up Service.

Look for the UL Certification Mark on the product.



Bruce Mahrenholz, Director North American Certification Program  
UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please  
contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



# CERTIFICATE OF COMPLIANCE

**Certificate Number** 20171020-E492950  
**Report Reference** E492950-20170510  
**Issue Date** 2017-OCTOBER-20

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

## USL1

Audible signal devices for use in Hazardous Locations Class I, Zone 1 AEx db IIC and Zone 21, AEx tb IIIC T135°C.

G Series Sounder, Model G-SND; followed by -MV; may be followed by -T or -D.

## USL2

Audible signal devices for use in Hazardous Locations Class I, Zone 1 AEx db IIC and Zone 21, AEx tb IIIC T135°C.

G Series Loudspeaker, Model G-SPK; followed by -070 or -100; may be followed by -T or -D.

G Series Amplified Speaker, Model G-SPA; may be followed by -MV; may be followed by -T or -D; may be followed by -25V.

## CNL

Audible signal devices for use in Hazardous Locations Ex db IIC and Ex tb IIIC T135°C.

G Series Sounder, Model G-SND; followed by -MV; may be followed by -T or -D.

G Series Loudspeaker, Model G-SPK; followed by -070 or -100; may be followed by -T or -D.

G Series Amplified Speaker, Model G-SPA; may be followed by -MV; may be followed by -T or -D; may be followed by -25V.



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

