

25500201 Rev. A1 0819

## Safety Message to Installers of Warning Light Equipment

### **▲ WARNING**

People's lives depend on your proper installation and servicing of Federal Signal products. It is important to read and follow all instructions shipped with this product and the original product. In addition, listed below are some other important safety instructions and precautions you should follow:

- To properly install the lighting and siren systems, you must have a good understanding of automotive systems, along with proficiency in the installation and use of safety warning equipment.
- Do not install equipment or route wiring in the deployment path of an airbag.
- If a vehicle seat is temporarily removed, verify with the vehicle manufacturer if the seat needs to be recalibrated for proper airbag deployment.
- You should frequently inspect the light and siren systems to ensure that it is operating properly and that it is securely attached to the vehicle.
- When drilling into a vehicle structure, ensure that both sides of the surface are clear of anything that could be damaged.
- Refer to the instructions packed with related products for additional precautions and information.
- Do not stare directly into the lights at a close range or permanent damage to your eyesight may occur.
- All effective sirens and horns produce loud sounds (120 dB) that may cause permanent hearing loss. Always minimize your exposure to the sound of the siren and horn and wear hearing protection. Do not sound the siren and horn indoors or in enclosed areas where you and others will be exposed to the sound.
- File these instructions in a safe place and refer to them when maintaining and/or reinstalling the product.

Failure to follow all safety precautions and instructions may result in property damage, serious injury, or death.

### **Mounting Bracket for ES100C and IMPAXX®, MicroPulse™ Lights**

This publication contains instructions for using the Model ESB-DUR15 bracket kit to mount the ES100C and/or IMPAXX IPX600B, IPX300 or MicroPulse MPS600, MPS600U, MPS1200, MPS1200U, and MPSW9 lights in the upper grille of the 2015 Dodge Durango.

**NOTE:** For electrical installation instructions, refer to the Installation and Maintenance Instructions included with the siren and lighthouse.

### **Unpacking the Kit**

After unpacking the kit, inspect it for damage that may have occurred in transit. If it has been damaged, do not attempt to install or operate it. File a claim immediately with the carrier, stating the extent of damage. Carefully check all envelopes, shipping labels, and tags before removing or destroying them. Ensure that the parts in the KIT CONTENTS LIST are included in the package. If you are missing any parts, contact Customer Support at 1-800-264-3578, 7 a.m. to 5 p.m., Monday through Friday (CT).

## Mounting Instructions for the Combination ES100C and Lights Bracket

Table 1 Model ESB-DUR15 mounting kit

Qty.	Description	Part Number
1	Bracket, ES100C-Lights, ESB-DUR15, Grille	856701262
6	Flat Washer	7072A034
4	Screw, 6-32, Phillips, Pan,Stainless Steel	7000491-08
4	Nut, 6-32 KEPS™, Stainless Steel	7058A046
2	Split Lock Washer	7074A020
2	5/16-18 Bolt	7002A005-14

### Installing the Brackets

#### **⚠ WARNING**

**AIRBAG DEPLOYMENT:** Do not install equipment or route wiring in the deployment path of an airbag. Failure to observe this warning will reduce the effectiveness of the airbag or potentially dislodge the equipment, causing serious injury or death.

#### **NOTICE**


**DRILLING PRECAUTION:** When drilling holes, check the area you are drilling into to be sure you do not damage vehicle components. All drilled holes should be deburred and all sharp edges should be smoothed. All wire routings going through drilled holes should be protected by a grommet or convolute/split loom tubing.

**IMPORTANT:** Plan all cable routing before the installation.

To install the speaker and lights:

1. Mount the speaker to the bracket with the 5/16-inch bolts and lock washers.
2. Mount the lights to the bracket. The IPX600B uses hardware supplied with the lighthouse. The IPX300 and MicroPulse use the 6-32 screws and KEPS nuts in the ESB-DUR15 kit.
3. Remove the fascia according to instructions in the manufacturer's service manual to access the area behind the grille.
4. Remove the two bolts securing the angled braces. See Figure 1.


Figure 1 Bolts (circled) securing angled braces behind grille and front fascia



## Mounting Instructions for the Combination ES100C and Lights Bracket

- Using the flat washers as shims between the bracket and angled braces, secure the assembly with bolts removed in Step 4. Relocate or rotate the horn assemblies as necessary. See Figure 2.

**Figure 2 DUR15 mounting bracket secured in front of angled braces**



- Complete the installation according to the instructions provided with the speaker and/or lightheads.

### **Getting Technical Support**

For technical support, please contact:

Federal Signal Corporation

Phone: 1-800-443-9132

Email: [empserviceinfo@fedsig.com](mailto:empserviceinfo@fedsig.com)

### **Getting Repair Service**

The Federal Signal factory provides technical assistance with any problems that cannot be handled locally.

Any units returned to Federal Signal for service, inspection, or repair must be accompanied by a Return Material Authorization (RMA). Obtain a RMA from a local Distributor or Manufacturer's Representative.

Provide a brief explanation of the service requested, or the nature of the malfunction.

Address all communications and shipments to the following:

Federal Signal Corporation

Service Department

2645 Federal Signal Drive

University Park, IL 60484-3167

### **Ordering Replacement Parts**

To order replacement parts, call Customer Support at 1-800-264-3578, 7 a.m. to 5 p.m., Monday through Friday (CT) or contact your nearest distributor.



2645 Federal Signal Drive  
University Park, Illinois 60484

[www.fedsig.com](http://www.fedsig.com)

Customer Support

Police/Fire-EMS: 800-264-3578 • +1 708 534-3400

Work Truck: 800-824-0254 • +1 708 534-3400

Technical Support 800-433-9132 • +1 708 534-3400

© 2019 Federal Signal Corporation

Dodge Durango is a trademark of Fiat Chrysler Automobiles

KEPS is a trademark of ITW Shakeproof.