




StreamLine[®]

MODULAR SERIES

DOCK BASES



SIGNALS



BASES




SIGNALS & BASES



SLMB2 and SLMB3

The StreamLine® Dock Light Base option is ideal for indoor or outdoor applications in high foot traffic areas including parking garages, factories, and loading docks.

Models SLMB2, 2-stack dock light, and SLMB3, 3-stack dock light, come standard with a visor. If additional side visibility is needed, the visor can be replaced with model SLM-RR retaining ring.



*Excludes SLM600 and SLM800

SLM100



SLM100 is available in five colors and offers three separate light effects (steady, flashing or rotating), controllable via independent electric contacts.

SLM200



SLM200 is available in five colors and offers three separate light effects (flashing, simulated strobe or random), controllable via independent electric contacts.

SLM300 and SLM350



SLM300 (proximity) and SLM350 (long-distance) low-profile signals are available in five colors and offer three different light effects (steady, flashing, strobe), controllable via independent electric contacts.

SLM1400 and SLM1450



SLM1400 (proximity) SLM1450 (long-distance) low-profile signals allow for three levels of alarm. For each channel, eight different colors and five light effects (steady, 1x flash, 2x flash, 4x flash and random) can be selected.

SLM500



SLM500 is an audible/visual LED beacon and sounder that allows three separate levels of alarm (alert, pre-alarm, alarm) controllable via independent electric contacts. SLM500 offers two light effects (steady or flashing) and 64 different tones (selectable via dip-switch) through two inputs, adjustable between 65 dB(A) and 105 dB(A).

SLM700



SLM700 is a multifunctional electronic sounder allows two separate levels of alarm (pre-alarm, alarm) controllable via independent electric contacts. SLM700 offers 64 different tones through two separate inputs, adjustable between 65 dB(A) and 105 dB(A).