

DODGE

DURANGO

2019





FRONT

1 SpectraLux® ILS Low-Profile

The slim-line, multicolor interior lighting system blends into the headliner of the vehicle making it ideal for undercover applications.

2 3 4 5 MicroPulse® Ultra

Ultra low-profile design offers a range of mounting options to fit various applications and is available in single, split, and dual color models.



SpectraLux® ILS Low-Profile provides a tight fit to the front headliner of the vehicle and offers the same advanced warning, takedown, and flood lighting capabilities as a full-size light bar.



MicroPulse® Ultra light heads can be programmed to operate as a single unit or in synchronization with multiple MicroPulse light heads.



MicroPulse® Ultra is available in three different sizes with either (3), (6), (12) or (24) LEDs.



SIDE

1 6 **416300 Series**

Single color, flush mount light head.

2 **MicroPulse® Wide Angle**

Curved design offers 180° light spread.

3 **MicroPulse® Ultra**

Ultra low-profile design available in single, split, and dual color models.

4 5 **XStream®**

Single or dual-head, triple color interior light with cigarette plug or wire leads.



MicroPulse® Wide Angle utilizes (6), (9), or (12) LEDs and is ideal for mounting on push bumpers, rub rails, side mirrors and spoilers.



XStream® models include a light head, suction cups, mounting brackets, and three different length snap-on flash guards, making installation quick and versatile.



MicroPulse® Ultra's lens is made of UV resistant polycarbonate to protect against harsh conditions. Models include a fully encapsulated water-proof housing, which provides a barrier against moisture and condensation.



416300 Series is ideal for mounting in a variety of applications such as tailgates, running boards, push bumpers, grille, side mirrors and inside of trunk lids and door panels.



REAR

1 SpectraLux® ILS Low-Profile Rear Hatch

The slim-line, multicolor interior lighting system blends into the headliner of the vehicle making it ideal for undercover applications.

2 MB1 Message Board Public safety messaging system.

3 4 MicroPulse® Ultra

Ultra low-profile design available in single, split, and dual color models.



SpectraLux® ILS Low-Profile models feature SpectraLux technology, which allows a single LED light source to change color while in operation. Front models feature White LEDs that can be used as takedowns or act as an impressive flood light. Rear models feature Amber LEDs that can be used as an “Amber-override” for directional lighting.



MicroPulse® Ultra is also suitable for internal applications; such as in the door jam, in the lift gate, and as a cargo light.



MB1 Message Board models have 60 pre-programmed messages and custom messages can be created using a PC based software.

PATHFINDER, RUMBLER & SPEAKERS



PF200



PF200R



PF200H



PF200S17

Pathfinder® Siren and Light Controller is packed with features that puts you in control of your vehicle:

- 100/200 W siren/light controller
- Dual tone capability
- Integrated Rumbler® intersection clearing capability
- On-Board Diagnostics (OBD) integration
- Programmable timer feature
- Library of selectable siren tones
- Voice message capability
- (7) Programmable inputs and (12) programmable solid-state outputs
- (2) Convergence Network ports
- Convergence Network Configuration software allows for easy customization
- Meets or exceeds SAE, California Title 13, and NFPA requirements

PF200 Siren/Light Controller with Self-contained controls

PF200R Siren/Light Controller with Remote surface mount controller and rotary switch

PF200H Siren/Light controller with Hand-held controller/microphone

PF200S17 Siren/Light Controller with 17-button surface mount controller



RUMBLER-3

Rumbler®

Rumbler intersection clearing system provides low-frequency warning that penetrates solid materials allowing vehicle operators and nearby pedestrians to FEEL the sound waves

RUMBLER-3 Siren Amp, Rumbler, secondary warning system, 12 VDC, low-frequency tones, hardware kit, housing bands and cradles

RBKIT1 Single Rumbler woofer for use with Pathfinder siren

RBKIT2 Pair of Rumbler woofer for use with Pathfinder siren



ES100C

DynaMax®/ES100C Speaker

- Slim and lightweight, compact 100 W speaker
- Neodymium driver increases performance and reliability
- High-strength composite housing is chemical resistant and maintains rigidity at high temperatures

ES100C Speaker, 100 W, high-output, Class A



AS124

AS124 Speaker

- Economical 100 W speaker
- Neodymium driver delivers superior sound quality
- Durable, composite plastic housing

750501 Speaker, 100 W, high output, Class A

750501V Speaker, 100 W, high output, Class A, vertical mounting applications



51-inch **Valor**® with low-profile hook mount



51-inch **Integrity**® with standard hook mount



53-inch **Allegiant**® with low-profile hook mount

LIGHT BARS

	Valor	Integrity	Allegiant
Recommended lengths for Dodge Durango (inches)	44, 51	44, 51	45, 53
Hook Mount Options	Standard and Low-Profile	Standard	Standard and Low-Profile
Non-linear / V-Shape	•		
Low-profile	•	•	•
Dome colors	Clear	Clear	Amber, Black, Blue, Clear, Gray, & Red
LED colors	Amber, Blue, Green, Red, & White	Amber, Blue, Green, Red, & White	Amber, Blue, Green, Red, & White
Solaris LED Reflectors	•	•	•
ROC (Reliable Onboard Circuitry)	•	•	•
FS Convergence Network	•	•	•
SpectraLux Multi-Color LED	•	•	•
Two color capability	•	•	•
Three color capability	•	•	



EXCLUSIVE TECHNOLOGIES



SPECTRALUX® multicolor LED technology provides the ability for a LED light head to change color while in operation



SOLARIS® LED reflector technology is engineered to increase off-axis warning and maximize the LED light source



SLR (SOLARIS® LED ROTATOR) rotators provide rotating, oscillating, flashing and flood light functionality



FS CONVERGENCE NETWORK provides "plug-n-play" installation



ROC (RELIABLE ONBOARD CIRCUITRY™) technology eliminates approximately 85% of the connection failure points found in a typical light bar



FSLINK™ is a built-in software technology that allows our products to synchronize their flash patterns for a unified vehicle warning solution



HOTFOOT® lighted mounting feet provide additional light through powerful Solaris reflectors that are built into the mounting system of the light bar

LIGHT BAR MOUNT

HKB-MAL7 Hook Kit, 44", 45", 46", 51" and 53" light bars, Dodge Durango 2015-2019

AUDIBLE WARNING BRACKETS

ESB-DUR15 Kit, combination bracket for mounting (1) ES100C and (2) IPX6B/IPX3/MSP6/MPS6U/MPS12/MPS12U/MPSW9 lights, Dodge Durango 2015-2019

ESBL2-DUR19ND Kit, no drill, combination bracket for mounting (2) ES100C and (2) IPX6B/IPX3/MSP6/MPS6U/MPS12/MPS12U/MPSW9 lights, Dodge Durango 2019

ESB-U Universal bail bracket, ES100C

RB-DUR19 Kit, (1) Rumbler mount bracket with hardware, Dodge Durango 2019

750501-08 Kit, AS124 mounting bracket, Dodge Durango 2015-2019, does not mount with Rumbler

LICENSE PLATE BRACKETS

IPX-LPH1 Generic high-side license plate holder with horizontal mount tab on each side, each bracket holds (2) IPX3/IPX6B lights

MPSM6-LPV2 Vertical, low mount license plate bracket, each bracket holds (2) MPS6U lights on each side

INTERIOR FRONT HEADLINER

SIFMS SpectraLux ILS Low-Profile, 8-head Split Front, Center-focused style, 2016-2019

SIFMP SpectraLux ILS Low-Profile, 4-head Passenger-side only, Center-focused style, 2016-2019

XSMBKT01 Visor mount kit for use with XSM1/XSM2 lights

XSMBKT03 Headliner mount bracket for use XSM1/XSM2 lights

REAR SIDE WINDOW

IPX-RSW1 Pair of rear side window brackets and covers, each bracket holds (1) IPX3/IPX6B light, Dodge Durango 2015-2019

XSTREAM XSM1/XSM2 models will fit with included mounting brackets

INTERIOR REAR HEADLINER / INTERIOR REAR HATCH

MBK06 Bracket for mounting message board in rear headliner of Dodge Durango 2011-2019, must be used with MB1-BNRW

SIFMH SpectraLux ILS Low-Profile, 8-head Rear Hatch, Center-focused style, 2018-2019

SLB-002 Short L-bracket, Rear hatch window, CN SignalMaster or Latitude

BOTTOM OF REAR HATCH

MicroPulse Ultra MPS3U and MPS6U lights will fit in this location on the Dodge Durango

SPOILER BRACKET

MPSM6-DU15RS Rear spoiler bracket kit, (3) MPS6/MPS6U lights on each side of spoiler, Dodge Durango 2015-2019

SIDE MIRROR BRACKET

MPSMW9-DUR15MIR Pair of side mirror brackets, each bracket holds (1) WPSW9 light, Dodge Durango 2015-2019

TAILLIGHT FLASHERS

FHL-TAIL Flasher, taillight, universal applications, 18" wire leads

PUSH BUMPER ACCESSORIES

IPX-PB45H Pair of 45-degree slanted push bumper mounts, horizontal light orientation, each bracket holds (1) IPX3/IPX6B light

IPX-PB45V Pair of 45-degree slanted push bumper mounts, vertical light orientation, each bracket holds (1) IPX3/IPX6B light

MPSU-PB45H Pair of 45-degree slanted push bumper mounts, horizontal light orientation, each bracket holds (1) MPS3U/MPS6U/MPS12U light

MPSU-PB45V Pair of 45-degree slanted push bumper mounts, vertical light orientation, each bracket holds (1) MPS3U/MPS6U/MPS12U light

CAN DATA

OBDCABLE6-DGCAN 6-ft OBD cable, Dodge Durango, 2018-2019

OBDCABLE25-DGCAN 25-ft OBD cable, Dodge Durango, 2018-2019

