MARKETING UPDATE

MU764 | 3-13-18

Introducing the new Pathfinder® with Handheld Controller



Pathfinder® is a compact, programmable siren and light controller now available with a handheld control head. The new handheld features fourteen dual color backlit push-buttons, and the ergonomic design provides convenient volume control and push to talk button on the sides of the controller. For convenient visual reference, the Pathfinder handheld emulates the selected pattern of the SignalMaster operation at the top of the controller.

The Pathfinder handheld control head has a magnetic mount and includes brackets for fixed or swivel mounting. The microphone is integrated in the control head, eliminating the need to run a mic cable back to the amplifier. For increased versatility the amplifier offers a ¼" jack microphone plug option, (¼" jack microphone and remote extension kit sold separately).

FEATURES

- 100/200 Watt siren/light controller with PA and noise canceling microphone
- (14) dual color (Red/Blue) backlit programmable push buttons
- Built-in dual tone capability
- Built-in Rumbler® Intersection Clearing capability
- Optional FS Vehicle On-Board Diagnostics Intergation (OBDII)
- Programmable timer feature
- Siren tones, PA, Radio Rebroadcast and Air Horn
- Library of selectable siren tones includes Unitrol and Powercall siren tones
- Horn Ring Transfer and Park Kill

- Backlit LEDs on handheld controller emulate SignalMaster™ directional warning operation
- (7) programmable inputs and (12) programmable solidstate relay outputs
- Convergence Network Configuration Software allows for easy customization of siren and light functions
- (2) Convergence Network ports
- Meets or exceeds SAE, California Title 13 and NFPA requirements
- Five-year warranty



FEDERAL SIGNAL

MARKETING UPDATE

MU764 I 3-13-19

SPECIFICATIONS

SignalMaster emulator



Specifications				
Input Voltage		12/24 VDC		
Standby Current		Less than 0.1 A		
Operating Temp		-40°C to +80°C		
Specifications				
	Height	Width	Depth	
Amplifier	2.5 in (6.4 cm)	6.0 in (15.2 cm)	7.1 in (18.0 cm)	
Handheld Control Head	6.0 in (15.2 cm)	2.5 in (6.4 cm)	1.3 in (3.3 cm)	
Shipping Weight				
3.9 lbs (1.8 kg)				

FEDERAL SIGNAL

MARKETING UPDATE

MU764 I 3-13-19

HOW TO ORDER

Model #	Description	2019 List Price US\$
PF200H	Siren/Light Controller with Handheld controller, 100/200 W, OBDII integration capability, integrated Rumbler® capability, and integrated dual tone capability	\$1,299.00
RUMBLER-3-PF	Siren Amp, Rumbler, secondary warning system, 12 VDC, low frequency tones, hardware kit, housing bands and cradles. Used with PF200, PF200R, and PF200H to utilize dual tone and Rumbler capabilities	741.00
RBKIT1*	Single Rumbler woofer	299.00
RBKIT2*	Pair of Rumbler woofers	499.00
OBDCABLE6-1	25-ft OBDII interface cable, for use on 2018 Chevrolet Tahoe, 2018 Chevrolet Silverado, 2017-2019 Ford Police Interceptor Utility, 2018 Ford F-150, 2019 Ford F-250, 2018 Ford Interceptor Sedan, and 2016 Dodge Durango	199.00
OBDCABLE25-1	25-ft OBDII interface cable, for use on 2018 Chevrolet Tahoe, 2018 Chevrolet Silverado, 2017-2019 Ford Police Interceptor Utility, 2018 Ford F-150, 2019 Ford F-250, 2018 Ford Interceptor Sedan, and 2016 Dodge Durango	199.00
OBDCABLE6-DGCAN	6-ft OBDII interface cable, for use on 2018 Dodge Charger Pursuit, 2018-2019 Dodge Durango, and 2019 Dodge Ram 2500	199.00
OBDCABLE25-DGCAN	6-ft OBDII interface cable, for use on 2018 Dodge Charger Pursuit, 2018-2019 Dodge Durango, and 2019 Dodge Ram 2500	199.00
MNCT-SD	1/4" jack microphone	61.00
RMK	Remote extension kit for ¼ " jack microphone	115.00

FEDERAL SIGNAL

*Vehicle specific Rumbler brackets sold separately

'IMING

The Pathfinder with handheld controller is available to order today.