Certificate Number
 20121212-E4813B

 Report Reference
 E4813-19780508

 Issue Date
 2012-DECEMBER-12

Issued to: FEDERAL SIGNAL CORP SIGNAL DIV

2645 FEDERAL SIGNAL DR UNIVERSITY PARK IL 60484

This is to certify that representative samples of

**AUDIBLE SIGNAL APPLIANCES** 

Vibrating Horns, Models 350, 450. Accessories Back Box

Model WB or Trim Ring Model TR is for indoor or outdoor use. Model 350WB and 350TR is for indoor or outdoor use.

Have been investigated by UL in accordance with the

Standard(s) indicated on this Certificate.

Standard(s) for Safety: UL 464, Audible Signal Appliances

Additional Information: See the UL Online Certifications Directory at

www.ul.com/database for additional information

Only those products bearing the UL Listing Mark for the US and Canada should be considered as being covered by UL's Listing and Follow-Up Service meeting the appropriate requirements for US and Canada.

The UL Listing Mark for the US and Canada generally includes: the UL in a circle symbol with "C" and "US" identifiers: <sup>(U)</sup> us the word "LISTED"; a control number (may be alphanumeric) assigned by UL; and the product category name (product identifier) as indicated in the appropriate UL Directory.

Look for the UL Listing Mark on the product.

UL LLC



 Certificate Number
 20121212-E4813C

 Report Reference
 E4813-19810729

Issue Date 2012-DECEMBER-12

Issued to: FEDERAL SIGNAL CORP SIGNAL DIV

2645 FEDERAL SIGNAL DR UNIVERSITY PARK IL 60484

This is to certify that AUDIBLE SIGNAL APPLIANCES

representative samples of Siren, Model A

Have been investigated by UL in accordance with the

Standard(s) indicated on this Certificate.

Standard(s) for Safety: UL 464, Audible Signal Appliances

Additional Information: See the UL Online Certifications Directory at

www.ul.com/database for additional information

Only those products bearing the UL Listing Mark for the US and Canada should be considered as being covered by UL's Listing and Follow-Up Service meeting the appropriate requirements for US and Canada.

The UL Listing Mark for the US and Canada generally includes: the UL in a circle symbol with "C" and "US" identifiers: <sup>©</sup> the word "LISTED"; a control number (may be alphanumeric) assigned by UL; and the product category name (product identifier) as indicated in the appropriate UL Directory.

Look for the UL Listing Mark on the product.

William R. Carney

William R. Carney, Director, North American Certification Programs

UL LLC





 Certificate Number
 20121212-E4813D

 Report Reference
 E4813-19920817

Issue Date 2012-DECEMBER-12

Issued to: FEDERAL SIGNAL CORP SIGNAL DIV

2645 FEDERAL SIGNAL DR UNIVERSITY PARK IL 60484

This is to certify that AUDIBLE SIGNAL APPLIANCES

representative samples of Outdoor siren controller, Models 2001DC and 2001AC

Have been investigated by UL in accordance with the

Standard(s) indicated on this Certificate.

Standard(s) for Safety: UL 464, Audible Signal Appliances

Additional Information: See the UL Online Certifications Directory at

www.ul.com/database for additional information

Only those products bearing the UL Listing Mark should be considered as being covered by UL's Listing and Follow-Up Service.

The UL Listing Mark generally includes the following elements: the symbol UL in a circle: with the word "LISTED"; a control number (may be alphanumeric) assigned by UL; and the product category name (product identifier) as indicated in the appropriate UL Directory.

Look for the UL Listing Mark on the product.

William R. Carrey

William R. Carney, Director, North American Certification Programs

UL LLC





20121212-E4813E Certificate Number E4813-20020628 Report Reference

2012-DECEMBER-12 **Issue Date** 

FEDERAL SIGNAL CORP SIGNAL DIV Issued to:

> 2645 FEDERAL SIGNAL DR **UNIVERSITY PARK IL 60484**

This is to certify that representative samples of AUDIBLE SIGNAL APPLIANCES, GENERAL SIGNAL Indoor/Outdoor DC Siren Controller, Model DCFCTB. DCFCB, and DCB may be followed by D, may be followed by L, H, U, or T, may be followed by A, S, or N, may be followed by L, H, U, or IP, may be followed by -240B. Control Cabinet rated for Indoor/Outdoor Use, Type 4 or 4X,

IP66.

Have been investigated by UL in accordance with the

Standard(s) indicated on this Certificate.

UL 464, Audible Signal Appliances Standard(s) for Safety:

Additional Information: See the UL Online Certifications Directory at

www.ul.com/database for additional information

Only those products bearing the UL Listing Mark for the US and Canada should be considered as being covered by UL's Listing and Follow-Up Service meeting the appropriate requirements for US and Canada.

The UL Listing Mark for the US and Canada generally includes: the UL in a circle symbol with "C" and "US" identifiers: <sup>c</sup> the word "LISTED"; a control number (may be alphanumeric) assigned by UL; and the product category name (product identifier) as indicated in the appropriate UL Directory.

Look for the UL Listing Mark on the product.

William R. Carney, Director, North American Certification Programs

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or a contact a local UL Customer Service Representative at <a href="https://www.ul.com/contactus">www.ul.com/contactus</a>

 Certificate Number
 20121212-E4813F

 Report Reference
 E4813-20030516

 Issue Date
 2012-DECEMBER-12

Issued to: FEDERAL SIGNAL CORP SIGNAL DIV

2645 FEDERAL SIGNAL DR UNIVERSITY PARK IL 60484

This is to certify that representative samples of

AUDIBLE SIGNAL APPLIANCES, GENERAL SIGNAL Indoor/Outdoor AC Siren Controller, Model ACFCTB, may

be followed by D, may be followed by L, H, U, or T, may be followed by A or S, may be followed by L, H, U, or IP may

be followed by -240B. Control Cabinet rated for

Indoor/Outdoor Use, Type 4 or 4X, IP66.

Have been investigated by UL in accordance with the

Standard(s) indicated on this Certificate.

Standard(s) for Safety: UL 464, Audible Signal Appliances

Additional Information: See the UL Online Certifications Directory at

www.ul.com/database for additional information

Only those products bearing the UL Listing Mark for the US and Canada should be considered as being covered by UL's Listing and Follow-Up Service meeting the appropriate requirements for US and Canada.

The UL Listing Mark for the US and Canada generally includes: the UL in a circle symbol with "C" and "US" identifiers: <sup>©</sup> the word "LISTED"; a control number (may be alphanumeric) assigned by UL; and the product category name (product identifier) as indicated in the appropriate UL Directory.

Look for the UL Listing Mark on the product.

William R. Carney, Director, North American Certification Programs

UL LLC



 Certificate Number
 20121212-E4813G

 Report Reference
 E4813-20030519

 Issue Date
 2012-DECEMBER-12

Issued to: FEDERAL SIGNAL CORP SIGNAL DIV

2645 FEDERAL SIGNAL DR UNIVERSITY PARK IL 60484

This is to certify that representative samples of

AUDIBLE SIGNAL APPLIANCES, GENERAL SIGNAL Indoor/Outdoor Electro-Mechanical Siren Controller.

Model FCTB, may be followed by D, may be followed by L, H, U, or T, may be followed by A or S, may be followed by L, H, U, or IP may be followed by –240B. Control Cabinet

rated for Indoor/Outdoor Use, Type 4 or 4X, IP66.

Have been investigated by UL in accordance with the

Standard(s) indicated on this Certificate.

Standard(s) for Safety: UL 464, Audible Signal Appliances

Additional Information: See the UL Online Certifications Directory at

www.ul.com/database for additional information

Only those products bearing the UL Listing Mark for the US and Canada should be considered as being covered by UL's Listing and Follow-Up Service meeting the appropriate requirements for US and Canada.

The UL Listing Mark for the US and Canada generally includes: the UL in a circle symbol with "C" and "US" identifiers: <sup>©</sup> us the word "LISTED"; a control number (may be alphanumeric) assigned by UL; and the product category name (product identifier) as indicated in the appropriate UL Directory.

Look for the UL Listing Mark on the product.

William R. Carney. Director. North American Certification Programs

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <a href="https://www.ul.com/contactus">www.ul.com/contactus</a>

(UL)

 Certificate Number
 20121212-E4813H

 Report Reference
 E4813-20030627

 Insura Data
 2012-DECEMBER 1

Issue Date 2012-DECEMBER-12

Issued to: FEDERAL SIGNAL CORP SIGNAL DIV

2645 FEDERAL SIGNAL DR UNIVERSITY PARK IL 60484

This is to certify that representative samples of

AUDIBLE SIGNAL APPLIANCES, GENERAL SIGNAL Indoor/Outdoor Electronic Siren Controller, Model UV, may be followed by D, may be followed by L, H or U may be followed by 6048, may be followed by A or S, may be followed by IP or SAT2, may be followed by –240B, may be

followed by PVS2110-24.

Have been investigated by UL in accordance with the

Standard(s) indicated on this Certificate.

Standard(s) for Safety: UL 464, Audible Signal Appliances

CSA C22.2 No. 205-M1983, Signal Equipment

Additional Information: See the UL Online Certifications Directory at

www.ul.com/database for additional information

Only those products bearing the UL Listing Mark for the US and Canada should be considered as being covered by UL's Listing and Follow-Up Service meeting the appropriate requirements for US and Canada.

The UL Listing Mark for the US and Canada generally includes: the UL in a circle symbol with "C" and "US" identifiers: <sup>(U)</sup> us the word "LISTED"; a control number (may be alphanumeric) assigned by UL; and the product category name (product identifier) as indicated in the appropriate UL Directory.

Look for the UL Listing Mark on the product.

William R. Carney, Director, North American Certification Programs

UL LLC



 Certificate Number
 20121212-E4813I

 Report Reference
 E4813-20030630

 Issue Date
 2012-DECEMBER-12

Issued to: FEDERAL SIGNAL CORP SIGNAL DIV

2645 FEDERAL SIGNAL DR UNIVERSITY PARK IL 60484

This is to certify that representative samples of

AUDIBLE SIGNAL APPLIANCES, GENERAL SIGNAL Indoor/Outdoor Electronic Siren Controller, Model UVT, may be followed by D, may be followed by L, H or U may be followed by 6048, may be followed by A or S, may be followed by IP or SAT2, may be followed by –240B.

Have been investigated by UL in accordance with the

Standard(s) indicated on this Certificate.

Standard(s) for Safety: UL 464, Audible Signal Appliances

Additional Information: See the UL Online Certifications Directory at

www.ul.com/database for additional information

Only those products bearing the UL Listing Mark for the US and Canada should be considered as being covered by UL's Listing and Follow-Up Service meeting the appropriate requirements for US and Canada.

The UL Listing Mark for the US and Canada generally includes: the UL in a circle symbol with "C" and "US" identifiers: <sup>©</sup> us the word "LISTED"; a control number (may be alphanumeric) assigned by UL; and the product category name (product identifier) as indicated in the appropriate UL Directory.

Look for the UL Listing Mark on the product.

William R. Carney, Director, North American Certification Programs

UL LLC



 Certificate Number
 20121212-E4813J

 Report Reference
 E4813-20041130

 Issue Date
 2012-DECEMBER-12

Issued to: FEDERAL SIGNAL CORP SIGNAL DIV

2645 FEDERAL SIGNAL DR UNIVERSITY PARK IL 60484

This is to certify that representative samples of

AUDIBLE SIGNAL APPLIANCES, GENERAL SIGNAL Indoor Electronic Siren Controller, Model UVIC, may be followed by L, H or U, may be followed by 240, may be followed by S or A, may be followed by IP or SAT2.

Have been investigated by UL in accordance with the

Standard(s) indicated on this Certificate.

Standard(s) for Safety: UL 464, Audible Signal Appliances

Additional Information: See the UL Online Certifications Directory at

www.ul.com/database for additional information

Only those products bearing the UL Listing Mark for the US and Canada should be considered as being covered by UL's Listing and Follow-Up Service meeting the appropriate requirements for US and Canada.

The UL Listing Mark for the US and Canada generally includes: the UL in a circle symbol with "C" and "US" identifiers: "US" the word "LISTED"; a control number (may be alphanumeric) assigned by UL; and the product category name (product identifier) as indicated in the appropriate UL Directory.

Look for the UL Listing Mark on the product.

William R. Carney, Director, North American Certification Programs

UL LLC



 Certificate Number
 20121212-E4813K

 Report Reference
 E4813-19940207

Issue Date 2012-DECEMBER-12

Issued to: FEDERAL SIGNAL CORP SIGNAL DIV

2645 FEDERAL SIGNAL DR UNIVERSITY PARK IL 60484

This is to certify that representative samples of

AUDIBLE SIGNAL APPLIANCES, GENERAL SIGNAL

Electronic horn, Models SST-MV and SST3-MV for use with or without Model CC (concealed conduit plate). For outdoor use when used with adaptor ring and Model WB back box.

Have been investigated by UL in accordance with the

Standard(s) indicated on this Certificate.

Standard(s) for Safety: UL 464, Audible Signal Appliances

Additional Information: See the UL Online Certifications Directory at

www.ul.com/database for additional information

Only those products bearing the UL Listing Mark for the US and Canada should be considered as being covered by UL's Listing and Follow-Up Service meeting the appropriate requirements for US and Canada.

The UL Listing Mark for the US and Canada generally includes: the UL in a circle symbol with "C" and "US" identifiers: "Us" the word "LISTED"; a control number (may be alphanumeric) assigned by UL; and the product category name (product identifier) as indicated in the appropriate UL Directory.

Look for the UL Listing Mark on the product.

William R. Carney, Director, North American Certification Programs

UL LLC



